

902(C)	REINFORCING STEEL FOR WALL STIFFENER	Kg.	52.11	71.00	3,699.81
900(D)	SLAB ON GRADE	Cu.m	5.02	7,296.00	36,625.92
902(D)	REINFORCING STEEL FOR SLAB ON GRADE	Kg.	170.25	76.00	12,939.00
900(E)	REINFORCED CONCRETE COPING & SMEARING ROOM COUNTER	Cu.m	0.15	10,000.00	1,500.00
902(E)	REINFORCING STEEL FOR CONCRETE COPING & SMEARING ROOM	Kg.	22.21	76.00	1,687.96
1046	MASONRY WORKS	Sq.m	86.55	758.00	65,604.90
1027	CEMENT PLASTER FINISH	Sq.m	189.93	250.00	47,482.50
1003	METAL FRAME & FIBER CEMENT BOARD	Sq.m	128.00	1,140.00	145,920.00
	46.42 SQ.M-INTERIOR CEILING USING 4.5MM X 4'X8' HARDIFLEX CEMENT BOARD ON LIGHT GAUGE METAL FRAME SPACED AT .60 M.O.C.B.W USING .80M X 12MM X 38M CARRYING CHANNEL .40MM X 19MM X 50MM DOUBLE FURRING ON CEILING BOARD JOINTS AND 40MM X 19MM X 25MM SINGLE FURRING HANGERS AND 0.40 X 25MM X 25MM WALL ANOLE				
	23.78 SQ.M.-12MM THICK X 4' X 8' HARDIFLEX CEMENT BOARD ON LIGHT GAUGE METAL FRAME SPACED @ 0.60 M.O.C.B.W. USING 0.40MM X50MMX100MM RECTANGULAR TUBE VERTICAL AND HORIZONTAL WALL STUDS INTERIOR WALL PARTITION				
	6.75 SQ.M-12MM THICK X 4' X 8' HARDIFLEX CEMENT BOARD ON LIGHT GAUGE METAL FRAME SPACED @ 0.60 M.O.C.B.W USING 0.40MM X 19MM X 50MM DOUBLE FURRING, PARAPET FRAME END WALL BACKING 37.35 SQ.M- 0.40MM X .110M METAL CEILING BOARD, SPANDREL, WHITE, USING 0.40MM X 19MM X 50MM DOUBLE FURRING CEILING JOIST SPACED @ 0.60 M.O.C.B.W. AND POWDER COATED, WHITE 0.40MM X 38MM X 38MM WALL ANGLE				
	13.70 SQ.M.-6MM X 4' X 8' HARDIFLEX CEMENT BOARD ON LIGHT GAUGE METAL FRAME SPACED @ 0.60 M.O.C.B.W USING 0.40MM X 19MM X 50MM RECTANGULAR TUBE, VERTICAL & HORIZONTAL WALL STUDS, END WALL & PARAPET FRAME BRACING				
1010	DOORS & WINDOWS				