

Republic of the Philippines PROVINCE OF BOHOL City of Tagbilaran



Standard Form Number: SF-GOOD-58

Revised on: May 24, 2004

Standard Form Title: Purchase Order

PROJECT REFERENCE NO. 21-0267

P.R No. 2021-0550

PURCHASE ORDER

OFFICE OF THE PROVINCIAL AGRICULTURIST - RASS DIVISION/ART CASSAVA & CORN

Agency / Requisitioning Office DQC04-2 D.O. No. P.O. NO. 2021-725 AGRIMACH CG CORPORATION Supplier Door 1, SCI Commercial Building, Libertad Date: November 17, 2021 Extension, Taculing, Bacolod City, Negros Address Occidental Mode of E-mail Address Procurement: Telephone No. **PUBLIC BIDDING** 007 - 213 - 684 - 000 TIN Gentlemen/Mesdames: Please furnish this Office the following articles subject to the terms and conditions contained herein: Please read at the back thereof **BOATECH CENTER, UBAY, BOHOL** Delivery Term Place of Delivery: upon completion of delivery within 120 working days upon receipt of NTP Payment Term Delivery Period: 3 months Warranty Period: **AMOUNT** QTY. **UNIT COST** DESCRIPTION ITEM UNIT BRAND NEW COMBINE CORN HARVESTER - KUBOTA 1,840,000.00 7,360,000.00 4 1 UNIT DC70PHPLUA DIMENSION: Min. Length (mm): 4800, Width (mm): 2245 < Min. Height (mm): 2800, Weight (kg): 3000 ENGINE: Min. Displacement (L): 2.434 Min. Output (KW(PS)/rpm: 50.7 969.0)/2700 · TRACK: Min. Crawler (Width x Length)(mm): 500x1700 Min. Contact Pressure (Kpa): 17.3 Minimum Ground Clearance (mm): 325 Transmission: 27cc/rev Speed: Low (m/s): 0-.97, Middle (m/s): 0-1.37 High (m/s): 0-1.86 Turning System: by 1 lever 🕢 Cutting -Min. Cutting Width (mm): 2075 Reel (Rotation Diameter x Tine Bars) (mm x pieces): 900x5 Threshing -Drum system: Axial Flow Type Type of Threshing Bars: Round Bar Rowing Teeth Min. Drum Diameter x length (mm): 620x1650 Concave: 4 pieces (180 degree)

Selection: 840mm width x 1375 mm length

£2 16	Selection: 3-way air stream	62		
	Hopper >			
	Min. Capacity: 500L/			
	Outlet: 2 -			
	Performance Test (AMTEC TEST)			and the second
	Field Efficiency, % minimum: 75.5			
	Header Loss, % maximum: 0.05			
	Separation Loss, % maximum: 0.06			
	Blower Loss, % maximum: 0			
	Unthreshed Loss, % maximum: 0			
	Scattering Loss, % maximum: 0			
	Purity with Fan, % minimum: 98.03			-
	Broken Grains, % maximum: 0.03			
	Net Cracked Grain, % maximum: 1			
	Noise Level, db (A): 92.8			
UNI	CORN KIT SPECS - KUBOTA CK70	4	340,000.00	1,360,000.00
	weight: 180 kg			
	REAPING SECTION			
	Special Reel for Corn: 2 sets			
	12 pieces number of tines per reel made of steel			
	Special Guard for Cutting Bar: 12 pcs			
	815 mm length of guard made of casting & steel			
	THRESHING SECTION			
	Special Grain Sieve: 1 set, 15mm size of mesh			
	Special Threshing Teeth: 6 sets			
	14mm diameter of threshing teeth			
	Stationary Parts for Winnower Adjustment Plate: 2 pcs			2
	10 degrees angle			
	OTHER PARTS -			
	Rear Guard Net: 1 piece , 1955mm x 700 mm size			
	Side Guard Net: 1 piece _			
	2000mm x 1230 mm size -			
	Maximum Harvesting Speed: 2.4 hectares per day			
	loss ratio: less than 5%			
	Broken Grain Ratio: less than 5 %			
	Cleanliness: less than 5% impurity			
UNI	TRAILER - AMCG TR - 70	4	375,000.00	1,500,000.00
	Min. Loading Capacity: 5 tons			
	Min. dimension width: 74 inches, length: 6 meters, height: 20 inches			
	materials: primary frame: 2x5 inches channel bar (heavy duty)			
	middle frame: 2x4 inches channel bar (heavy duty)			
	Flooring plate: 3mm , Tire: 750x 15			
	Tire Specs: Spindle: (5 stud) ply rating: 12			

š .

/ .	T	Drawbar 21/2 in L. Co.			
		Drawbar: 2 1/2 inches shafting			J 20
		Include Conditions for bidding:			
		Dealer Must have branch office in the Province of Bohol and have existing inventory of spare parts.	Name of the last o		
		Inclusive: Complete Set of Tools	-		
		1 Year Warranty			
5	UNIT		4	3 540 300 00	
		Tractor type: Direct Injection, liquid cooled 4 cylindrical diesel	4	2,640,000.00	10,560,000
		Drive System: 4x4			
		Number of Cylinders: 4 cylinders			
		Engine Net Power: 120 HP			
		Battery Capacity: 12 Volts			
		Aspiration: Turbo Charger with Intercooler			
		Rated Engine Speed: 2600 rpm			
		Min. Displacement: 6.49L			
		PTO Power: 97 HP			
		Rated Power: 88.2KW			
		PTO Type: Hydraulic Independent PTO with PTO Brake, wet disc			
		Fuel Tank: 200 L			
		Main Wt. 3800kg			
		Gear Shaft: 16F+8R			
		Dimensions: 4530x250x2930			
	2000	Wheel base: 2195mm			
		Wheel Tread (front) 1400-1700			
		Wheel Tread (rear) 1500-1800			
		Inclusive: Complete Set of Tools, 1 Year Warranty			
		PGBH Logo with Tag Line "Buhat ang Pasulti-on"			
	UNIT	DISC PLOW - BULLDISC PLOW ILY - 525	4	287,000.00	1 140 000 0
		Width Cut: 1250MM	ion.	287,000.00	1,148,000.0
		Depth Cut: 250-300 mm ~			
		Disc Diameter: 660 mm			
		Number of Discs: 5			
		Weight: 565 kg			
		Tractor Power: 120 hp			
		Mounted CAT CAT II			
	UNIT	DISC HARROW - BULLDISC HARROW 1B23.4	4	395,000.00	1 580 000 0
		Width Cut: 3400 mm	-	333,000.00	1,580,000.0
		Depth Cut: 200 mm			
The second secon		Disc Diameter: 660 MM			
	1	Number of Discs: 32			
	i	Weight: 1550 kg			
	1	Tractor Power: 120 hp			
	i	FURROW PLOUGH - BULL FURROW 3QL-5		152.052.55	
	1	Width Cut: 3900 mm >	4	153,000.00	612,000.00
	1	Ridging Width: 700-900 mm	- 1		

		Ridging Height: 200-250 mm			
		Weight: 350 kg			
		Tractor Power: 120 hp			
		Include Conditions for bidding of tractor:			
		Dealer Must have branch office in the Province of Bohol			
		and have existing inventory of spare parts.			
6	UNIT	95 HP TRACTOR BRANDNEW - KUBOTA M9540	4	1,800,000.00	7,200,000
		Tractor type: Direct Injection, liquid cooled 4 cylindrical diesel *			
		Number of Cylinders: 4 cylinders			
		Net Power: 70.8kW (95HP)			
		Battery Capacity: 12 Volts			
		Fuel Tank: 90 L			
		Min. dimensions: Overall Length 3760mm, Overall Width 2010mm			
		Overall height 2535, Wheel Base 2250mm			
		Minimum Ground Clearance: 450mm (drawbar bracket)			
		Weight: 2710 kg			
		Standard Tire size: Front 12.4-24, Rear 18.4-30			
		Clutch: Dry Single Plate _			
		Steering: Hydraulic Power Steering			
		Braking System: Hydraulic Wet Discs			
		Differential: Bevel Gears with Different Lock (rear)			
		Hydraulic Control System: position, draft and mix control			
		Pump Capacity: 69.3L/Min			
		PTO Direction of turning: Clockwise, viewed from tractor near			
		PTO Engine Speed: 6 Spline: 540/2205			
- 1		Inclusive: Complete Set of Tools			
	UNIT	DISC PLOW - KUBOTA DP264L	4	240.500.00	
		Disc Size: 26 in x 4 discs	4	248,500.00	994,000.00
		Weight: 590 kg			
		Average Plowing Depth: 30cm –			
	UNIT	DISC HARROW - AMCG TDH - 95	4	245 000 00	
		Brandnew, Locally Fabricated, heavy Duty Offset	4	345,000.00	1,380,000.00
		Trailing Disc Harrow (20 x 24)			
		Disc Size: 24 Inches			
		Number of Gangs: 2 gangs			
		Number of Discs: 20 Discs (10 per gangs)			
		Average Plough Depth: 180-200mm		-	
		Hydraulic self-leveling hitch			
		B.I Pipes 4"x 8" schedule 40 spool spacer with bell-shaped design			
		Transport Wheels: Brand New 700/750 x 15/16 set of tires			

*

er v

		Heavy Duty SAE Standard Double-acting Hydraulic Cylinder and a pair			
		of SAE 100 R2 Hydraulic Pressure Hoses, Self-sealing Break away couplers			T OF SAME
and the second		for quick disconnection			
		Imported Boron Metal Blades 20 pcs at 24 inches diameter-			
		with transport lock			
		with heavy duty pin type			
		8 pcs bearing or journal box hub housing			
		All bearings are regreasable with grease fittings			
		Include Conditions for bidding of tractor:			
		Certification from the manufacturer that Brand offered should have existed in Philippine Market for 20 years -			855
		Dealer Must have branch office in the Province of Bohol and have existing inventory of spare parts.			
7	UNIT	CASSAVA CHIPPER - GOLDHARVEST CASSAVA CHIPPER SL - 4	4	480,000.00	1,920,000.00
		Capacity: 4 tons per hour -			
		Engine: Diesel 8 HP			
		Number of Cutting blade: 2			
		Chip thickness: 3-40 mm			
		Weight: 120kg			
		Size: 3.0x1.2x0.6mm			
		Inclusive: Complete Set of Tools			
		1 Year Warranty, PGBH Logo with Tag Line "Buhat ang Pasulti-on"			
	170	Include Conditions for bidding:			
		Dealer Must have branch office in the Province of Bohol and have existing inventory of spare parts.			
8	UNIT	CASSAVA HARVESTER - GOLDHARVEST CASSAVA HARVEST CH - 120	4	485,000.00	1,940,000.00
		harvesting row: 2			
		weight: 760kg			
		Required Power: 120 HP			
		Working width: 1600 mm			
		Working Depth 500-600mm			
		Productivity: 0.2-0.5 ha per hour .			8
		Turn Radius: 6300mm			
		Size: 2350x1900x1380mm			NAME OF TAXABLE PARTY O
		Inclusive: Complete Set of Tools –			
		1 Year Warranty, PGBH Logo with Tag Line "Buhat ang Pasulti-on"			
		Include Conditions for bidding:			

. . . .

	1. Certification from the manufacturer that brand offered should have existed in Philippine Market for 20 years 2. Dealer Must have branch office in the Province of Bohol and have existing inventory of spare parts. x-x-x-x-x-x-x	TOTAL:	37,554,000.00
(Total Amount in Words)	THIRTY SEVEN MILLION FIVE HUNDRED F		
Contorme:	e to make the full delivery within the time specified above revery day of delay shall be imposed. AGRIMACH CG CORPORATION ature over printed name of Supplier	Very truly yours,	1/10/
Funds Available:	JAN 13 2022	ATTY. ARTHUR Governo Province of E BY THE AUTHORITMOF	r Bohol
	Dravingial function	ATTY. KATHYRIN FE D Provincial Admin FE 152 Earmark Amount	PIOQUINTO N