

**Technical Specifications:**

Item	QTY	Unit	ITEM DESCRIPTION	STATEMENT OF COMPLIANCE
				<p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate.</p> <p>A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause _____ and/or GCC Clause a)ii. (</p>
<b>PART A.</b>			<b>GENERAL REQUIREMENTS</b>	
A.1	1.00	lot	<b>TECHNICAL PROFESSIONAL SERVICES</b>	
			Review, Signing and sealing of Detailed Architectural and Engineering Designs, specifications and other requirement for the application of building permit with the Office of the Building Official	
A.2	1.00	lot	<b>PERMITS &amp; CLEARANCES</b>	
			Application and Processing of Building Permit & Other Clearances	
A.3	1.00	unit	<b>PROJECT BILLBOARD (8"X 8") (TARPAULIN W/ STANDARD</b>	
A.4	1.00	lot	<b>SAFETY AND HEALTH</b>	
<b>PART B.</b>			<b>CONSTRUCTION OF DISPOSAL CHAMBER FOR INFECTIOUS</b>	
803	2.70	cu.m	<b>STRUCTURE EXCAVATION</b>	
900	8.70	cu.m	<b>REINFORCED CONCRETE WORKS</b>	
902	520.23	kg	<b>REINFORCING STEEL WORKS</b>	
1027	46.00	sq.m.	<b>CEMENT PLASTER FINISH</b>	
903	560.00	bd.ft.	<b>FORMS AND SCAFFOLDINGS</b>	
1047(1)	2.00	set	<b>FABRICATED MANHOLE COVER</b>	
<b>PART C.</b>			<b>CONSTRUCTION OF MATERIALS RECOVERY FACILITY</b>	
SPL - 1	23.33	bd.ft.	<b>BATTERBOARD</b>	
803(1)	8.45	cu.m	<b>STRUCTURAL EXCAVATION</b>	
804	73.22	cu.m	<b>EMBANKMENT</b>	
900(a)	1.80	cu.m	<b>REINFORCED CONCRETE FOR COLUMN FOOTING</b>	
902(a)	113.76	kgs.	<b>REINFORCING STEEL FOR COLUMN FOOTING</b>	
900(b)	2.30	cu.m	<b>REINFORCED CONCRETE FOR COLUMN</b>	
902(b)	721.38	kgs.	<b>REINFORCING STEEL FOR COLUMN</b>	
900(c)	1.55	cu.m	<b>REINFORCED CONCRETE FOR WALL FOOTING</b>	
902 (c)	68.51	kgs.	<b>REINFORCING STEEL FOR WALL FOOTING</b>	
900(d)	2.31	cu.m	<b>REINFORCED CONCRETE FOR SLAB ON GRADE AND CONCRETE BEAM</b>	
902(d)	51.79	kgs.	<b>REINFORCING STEEL FOR SLAB ON GRADE AND CONCRETE BEAM</b>	
903	605.33	bd.ft.	<b>FORMS AND SCAFFOLDINGS</b>	
1047(1)	1,228.24	kgs.	<b>STEEL WORKS</b>	
1014(1)b2	54.60	sq.m.	<b>PRE-PAINTED METAL SHEETS</b>	
1046	51.28	sq.m.	<b>MASONRY WORKS</b>	
1027 (1)	56.42	sq.m.	<b>CEMENT PLASTER FINISH</b>	
1032(1)a	64.16	sq.m.	<b>PAINTING FOR CONCRETE</b>	
1032 (1)c	166.88	sq.m.	<b>PAINTING FOR STEEL</b>	

