



Republic of the Philippines DEPARTMENT OF AGRICULTURE Philippine Rural Development Project PSO-Visayas Cluster Province of Bohol



INVITATION TO QUOTE SHOPPING - GOODS

PROCUREMENT OF MPA SUPPLIES AND MATERIALS

for the following Marine Protected Areas (MPAs): "Guindacpan Marine Protected Area Rehabilitation, Cataban Marine Sanctuary Rehabilitation, Bilangbilangan East Marine Sanctuary Rehabilitation, Hingotanan West Marine Sanctuary Rehabilitation, Aguining Marine Protected Area Rehabilitation, Sidlakan Marine Protected Area Rehabilitation, Sinandigan Fish Sanctuary Rehabilitation, Asinan Reef Fish Sanctuary Rehabilitation, and Sinandigan Fish Sanctuary Rehabilitation"

PRDP-MPA-R007-BOH-007-TAL-002-2015 PRDP-MPA-R007-BOH-006-TAL-001-2015 PRDP-MPA-R007-BOH-001-BIE-001-2015 PRDP-MPA-R007-BOH-002-BIE-002-2015 PRDP-MPA-R007-BOH-004-PRE-001-2015 PRDP-MPA-R007-BOH-003-BUE-001-2015 PRDP-MPA-R007-BOH-003-BUE-001-2015 GEF Trust Fund Grant Number TF017788 Estimated Project Cost: **Php 900,644.26**

October 10, 2022

The Government of the Republic of the Philippines has received a loan from the World Bank towards the cost of the Philippine Rural Development Project (PRDP) with Grant package from the Global Environmental Facility (GEF) and it intends to apply part of the proceeds of the Grant to payments for the cost of **PROCUREMENT OF MPA SUPPLIES AND MATERIALS** for the following Marine Protected Areas (MPAs): "Guindacpan Marine Protected Area Rehabilitation, Cataban Marine Sanctuary Rehabilitation, Bilangbilangan East Marine Sanctuary Rehabilitation, Hingotanan West Marine Sanctuary Rehabilitation, Aguining Marine Protected Area Rehabilitation, Sidlakan Marine Protected Area Rehabilitation, Sinandigan Fish Sanctuary Rehabilitation, and Asinan Reef Fish Sanctuary Rehabilitation."

1. The Provincial Government of Bohol hereinafter referred to as the End-User, now requests interested applicants to submit quotations for the:

PR No.: PRDP-GEF-MPA-009 & PRDP-GEF-MPA-0010 End-User: Office of the Provincial Agriculturist Fisheries Division

Contract Name:				
PROCUREMENT OF MPA SUPPLIES AND	MATERIALS			
for the following Marine Protected Area	as (MPAs):			
"Guindacpan Marine Protected Area Rehabilitation, Ca	taban Marine S	Sanctuary		
Rehabilitation, Bilangbilangan East Marine Sanctuary Reha		0		
Marine Sanctuary Rehabilitation, Aguining Marine Prote				
Sidlakan Marine Protected Area Rehabilitation, Sina	0	5		
Rehabilitation, and Asinan Reef Fish Sanctuary		າ"		
Procurement of MPA Supplies and M	laterials			
Item/Description Quantity Unit of Iss				
1. Waterproof Flashlight with rechargeable 4-AAA	20	Unit		
1.2V Ni-MH Batteries and Charger				
Specifications:				
🖌 Bulb Type: LED				
✓ Beam Type: Flood to Spot				

		I
✓ Beam Distance: 226 m		
✓ Lumens: 360		
✓ Output Modes: High/Low		
 ✓ Use Battery: 4-AAA ✓ Switch Type: On / Off Button 		
 ✓ Switch Type: On/Off Button ✓ Body Material: Aluminum 		
5		
✓ Lens Material: Polycarbonate		
✓ Body Color: Black		
✓ Diameter: 1.24 in		
✓ Overall Length: 5.58 in		
✓ Included Batteries: 4-AAA 1.2V Ni-MH 800mAh		
Batteries		
✓ Included Charger: Ni-MH Battery Charger, 4-Slot		
FEATURES		
✓ Impact and Water Resistant		
✓ Variable Power Compact Flashlight		
✓ Quick Cycle Button for Fast Switching Between High		
and Low Modes		
✓ Max Optic Beam Focusing System for Unblemished		
Flashlight Beam		
✓ Fingertip Speed Focus System with Beam Lock		
Delivery Sites:		
✓ Brgy. Guindacpan, Talibon, Bohol - (8 Units)		
🗸 Brgy. Bilangbilangan East, Bien Unido, Bohol - (4		
Units)		
✓ Brgy. Hingotanan West, Bien Unido, Bohol - (4 Units)		
✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (4 Units)		
2. Rechargeable Batteries for the Waterproof	72	Piece
-		
Flashlights		
Flashlights		
Flashlights Specifications:		
Flashlights		
Flashlights Specifications:		
Flashlights Specifications: ✓ Size: AAA		
Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh		
Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites:		
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) 		
Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites:		
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) 		
Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20		
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) 		
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) 		
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Aguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries 	8	Unit
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; 	8	Unit
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) Brgy. Aguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: Detachable; hand-held microphone with volume control and on and off switch; 	8	Unit
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) Brgy. Aguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: Detachable; hand-held microphone with volume control and on and off switch; Power Output: 15 watts rated/23 max; Anti-bacterial treatment for all models 	8	Unit
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) Brgy. Aguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: Detachable; hand-held microphone with volume control and on and off switch; Power Output: 15 watts rated/23 max; Anti-bacterial treatment for all models (mouthpiece/microphone and handle); 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; ✓ Whistle: 20 minutes; 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; ✓ Whistle: 20 minutes; 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; ✓ Whistle: 20 minutes; ✓ Voice Range: voice - 400 m, whistle - 500 m. 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; ✓ Whistle: 20 minutes; ✓ Voice Range: voice - 400 m, whistle - 500 m. Delivery Sites: 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; ✓ Whistle: 20 minutes; ✓ Voice Range: voice - 400 m, whistle - 500 m. Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (2 Units) 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; ✓ Whistle: 20 minutes; ✓ Voice Range: voice - 400 m, whistle - 500 m. Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (2 Units) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 	8	Unit
 Flashlights Specifications: ✓ Size: AAA ✓ Type: Ni-MH, 1.2V ✓ Capacity: 800mAh Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: ✓ Detachable; hand-held microphone with volume control and on and off switch; ✓ Power Output: 15 watts rated/23 max; ✓ Anti-bacterial treatment for all models (mouthpiece/microphone and handle); ✓ Battery Life: voice - approximate 10 hours; ✓ Whistle: 20 minutes; ✓ Voice Range: voice - 400 m, whistle - 500 m. Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (2 Units) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 Units) 	8	Unit
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: Detachable; hand-held microphone with volume control and on and off switch; Power Output: 15 watts rated/23 max; Anti-bacterial treatment for all models (mouthpiece/microphone and handle); Battery Life: voice - approximate 10 hours; Whistle: 20 minutes; Voice Range: voice - 400 m, whistle - 500 m. Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (2 Units) Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 Units) Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 Units) Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 Units) Brgy. Hingotanan West, Bien Unido, Bohol - (2 Units) 	8	Unit
 Flashlights Specifications: Size: AAA Type: Ni-MH, 1.2V Capacity: 800mAh Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (20 Pcs) Brgy. Bilangbilangan East, Bien Unido, Bohol - (20 Pcs) Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (12 Pcs) 3. Megaphone with rechargeable batteries Specifications: Detachable; hand-held microphone with volume control and on and off switch; Power Output: 15 watts rated/23 max; Anti-bacterial treatment for all models (mouthpiece/microphone and handle); Battery Life: voice - approximate 10 hours; Whistle: 20 minutes; Voice Range: voice - 400 m, whistle - 500 m. Delivery Sites: Brgy. Guindacpan, Talibon, Bohol - (2 Units) Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 Units) 	8	Unit

4. Global Positioning System (GPS), Handheld	1	Unit
 Specifications: ✓ Physical Dimensions: 7.5"x3.7"x1.7" (191.5x94.5x44 cm); ✓ Display Size: WxH: 5"(127mm) diagonal; ✓ Display Resolution, WxH: 800x480 pixels; ✓ Display Type: Bright, sunlight readable WVGA display; ✓ Weight: 15.9 oz (450 grams) with included rechargeable battery pack: 14.6 oz. (415 grams); ✓ Battery Type: rechargeable lithium ion: Ni-MH or lithium recommended; ✓ Battery Life: up to 16 hours (lithium ion or up to 8 hours (AA batteries); ✓ Water Rating: IPX7; ✓ Interface: high speed USB and NMEA 0183 compatible Delivery Site: ✓ Brgy. Guindacpan, Talibon, Bohol - (1 Unit) 		
5. Night Vision Binocular	7	Unit
 Specifications: \$\$\vee{1}\$ 850nm Infrared Illuminator \$Video out capable Time lapse Function: YES GPS ID stamp on the picture or video: YES \$5 Mega Pixels CMOS vs image-intensifier tube In-view 1.5" TFT display Powerful infrared spotlight 980ft /300M viewing range Magnification(optical): 4 Objective Size: φ50mm Digital Zoom: 5 Field of View: 7° The Range of Ocular Adjustment: ±1.8mm Aperture: F=1.3 Objective focal Distance:37.5mm Infrared Illuminator: Yes ,850 JPEG: 2592*1944,1600*1200,640*480 with sound TV Out: PAL or NTSC Built-in 1 tripod mountable: YES TV Out: Device be a live Infrared surveillance camera connecting TV with TV cable USB: Micro USB2.0 Water Resistance Standard: IPX4 L x W x H: 205 x 169 x 88 mm Weight: 780g 		
Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (2 Units)		
 ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 Units) ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (2 Units) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (1 Unit) 		
6. Lifejacket	10	Piece
Specifications:✓Type: Type ll or lll✓Closure type: Buckles✓Material: Nylon✓Size: Adult✓Type: Inherently Buoyant Foam		

✓ Buoyancy: 22 lb		
✓ Straps: Adjustable straps at torso, shoulders and neck		
Delineers Cite		
Delivery Site:		
✓ Brgy. Guindacpan, Talibon, Bohol - (10 Pcs)		
7. Raincoat	5	Piece
7. Kaliloat	5	Piece
Specifications:		
✓ Raincoat Trousers Suit		
✓ Features:		
✓ Increase Thicker		
✓ Fine Workmanship		
\checkmark Reflective Front		
✓ Behind the Reflective Bar		
✓ Sizes: To be identified		
Delivery Site:		
✓ Brgy. Guindacpan, Talibon, Bohol - (5 Pcs)		
8. SCUBA Diving Gears with complete set	3	Set
Specifications:		
8.1. Regulator set		
 ✓ QR3 1st Stage Yoke standard piston 		
✓ Standard second stage unbalance no adjustment with		
hose		
✓ Basic octopus no adjustment yellow cover with		
yellow 40" hose ✓ Combo depth/pressure gauge small size double		
reading BAR/PSI		
reading DARY 1 51		
8.2. BCD Jacket		
✓ with padded collar, 3 dump valves, chest strap, waist		
strap, velcro type with rear adjustment, zipper on		
both pockets, quick release system-2 female clips on		
both left and right shoulder strap for the size		
adjustment, octopus hose and gauge slits on both side		
for stream lining convenience, 4 metal D-rings, tank		
valve adjuster, water drain on pockets		
8.3. Wetsuit		
✓ 3M Mens wetsuit, all black, full body with slanted		
back zipper		
8.4. Booties		
\checkmark 5MM high cut, black		
onni ingii cut, buch		
8.5. Fins		
\checkmark 2 open heel fins		
-		
8.6. Mask		
✓ Single Lens Mask Design		
✓ Ideal for Snorkeling and Scuba Diving		
✓ Skirt: Soft 100% Hypoallergenic Transparent Silicone		
✓ Double Feathered Edge Skirt for Excellent Seal On-Face		
Low Internal Volume Tompored Close Long		
 ✓ Tempered Glass Lens ✓ Ouick-Adjust Buckles System 		
 ✓ Quick-Adjust Buckles System 		
8.7. Snorkel		
✓ Anti-Splash Top		
✓ Special Valve Seals Tube when Submerged		
special care bould rabe when bubiller geu		

8.8. Weights and belt		
✓ Stainless steel buckle		
 ✓ 2 lbs lead weights (8lbs per set) 		
8.9. Tank ✓ 80 cu.ft tank with DIN/YOKE convertible tank valve		
✓ 80 cu.ft tank with DIN/YOKE convertible tank valve 3000 PSI		
5000151		
Delivery Sites:		
✓ Brgy. Aguining, Pres. Carlos P. Garcia, Bohol – (2 Sets)		
✓ Brgy. Sinandigan, Ubay, Bohol – (1 Set)		
9. SCUBA Diving Tank Fill Station air Compressor	2	Unit
Specifications:		
(see attached "ANNEX A" for the Specifications)		
(see attached Manazari for the specifications)		
Delivery Sites:		
✓ Brgy. Aguining, Pres. Carlos P. Garcia, Bohol – (1)		
Uniit)		
✓ Brgy. Sinandigan, Ubay, Bohol – (1 Unit)		
Terms and Conditions:		
1. Prices includes supply and delivery of		
materials/equipment's in the MPA project sites		
2. Supplier must conduct Training and Seminars on		
Maintenance of the supplies.		
3. Payment shall be made upon Completion of Delivery		
and Issuance of Inspection and Acceptance Report.		
4. Price quoted is valid for Sixty (60) calendar days from		
the date of opening of quotations.		
5. With 1 year warranty.		
6. Delivery Period: Sixty (60) calendar days upon		
receipt of Purchase Order (PO)/Notice to Proceed		
(NTP), otherwise, Liquidated Damages (LD) will be applied in amount equal to one-tenth $(1/10)$ of one		
percent (1%) of the cost of the delayed goods		
scheduled for delivery for every day of delay until		
such goods are finally delivered and accepted by the		
procuring entity concerned.		
7. Inclusion of Logos of DA-PRDP, PG & MLGU.		

2. All Requests for Quotations (RFQs) submitted in hard copies must be placed in a sealed envelope marked: PROCUREMENT OF MPA SUPPLIES AND MATERIALS for the following Marine Protected Areas (MPAs): "Guindacpan Marine Protected Area Rehabilitation, Cataban Marine Sanctuary Rehabilitation, Bilangbilangan East Marine Sanctuary Rehabilitation, Hingotanan West Marine Sanctuary Rehabilitation, Aguining Marine Protected Area Rehabilitation, Sidlakan Marine Protected Area Rehabilitation, Sinandigan Fish Sanctuary Rehabilitation, and Asinan Reef Fish Sanctuary Rehabilitation."

All entries must be typewritten or handwritten legibly.

- 3. The Provincial Local Government Unit of Bohol will hold a **Pre-Bid Conference** on **October 13, 2022** at **10:00 A.M.** at the **Bids and Awards Committee, Province of Bohol, PPMU Office 2nd Floor, Provincial Capitol Building, Brgy. Cogon, Tagbilaran City, Bohol 6300.**
- 4. Quotations must be delivered at the address below not later than **10:00 A.M. of October 00, 2022.**

Bids and Awards Committee Office New Capitol, Tagbilaran City Tel. No.: (038) 411-0138 local 42120

- 5. The Bidder may submit its quotation through any of the following:
 - 5.a Sealed Envelope (hand-carry): "The bidder is required to affix his/her signature across the flap of the sealed envelope". Address to: ATTY. HANDEL T. LAGUNAY, Chairman, Bids and Awards Committee, Province of Bohol, PPMU Office 2nd Floor, Provincial Capitol Building, Brgy. Cogon, Tagbilaran City, Bohol 6300.
 - 5.b. Through Mail (courier): "The bidder is required to affix his/her signature across the flap of the sealed envelope". Address to: **ATTY. HANDEL T. LAGUNAY, Chairman, Bids and Awards Committee, Province of Bohol, PPMU Office 2nd Floor, Provincial Capitol Building, Brgy. Cogon, Tagbilaran City, Bohol 6300.**
 - 5.c. Through Official Email Address of BAC: **ppmubohol@gmail.com** with the subject: **PROCUREMENT OF MPA SUPPLIES AND MATERIALS** (*The Prospective Bidders are encouraged to secure their bid proposal by Encrypting with Password their attached file and provide the security information to BAC Secretariat during the actual bid opening*)

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity shall be declared "Late" and shall not be accepted by the Procuring Entity.

Opening of Quotations will be held on **October 20, 2022** at **10:00 A.M.** at the **Bids and Awards Committee, Province of Bohol, PPMU Office 2nd Floor, Provincial Capitol Building, Brgy. Cogon, Tagbilaran City, Bohol 6300**. Bids will be opened by the BAC in Public and in the presence of the bidder's representatives who choose to attend.

- 6. The procurement procedures will be conducted in accordance with the provisions of the World Bank Guidelines and taking into consideration the related provisions in the Project Loan Agreement and Guidelines in the Procurement under the IBRD loans and IDA credits.
- 7. The Provincial Government of Bohol reserves the right to accept or reject any quotation and to annul the procurement process or reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder/s.

ATTY. HANDEL T. LAGUNAY Chairman, Bids and Awards Committee Province of Bohol Tel. No.: (038) 411-0138 local 42120





Republic of the Philippines DEPARTMENT OF AGRICULTURE Philippine Rural Development Project PSO-Visayas Cluster Province of Bohol



REQUEST FOR QUOTATION SHOPPING - GOODS

PROCUREMENT OF MPA SUPPLIES AND MATERIALS

for the following Marine Protected Areas (MPAs): "Guindacpan Marine Protected Area Rehabilitation, Cataban Marine Sanctuary Rehabilitation, Bilangbilangan East Marine Sanctuary Rehabilitation, Hingotanan West Marine Sanctuary Rehabilitation, Aguining Marine Protected Area Rehabilitation, Sidlakan Marine Protected Area Rehabilitation, Sinandigan Fish Sanctuary Rehabilitation, Asinan Reef Fish Sanctuary Rehabilitation, and Sinandigan Fish Sanctuary Rehabilitation"

PRDP-MPA-R007-BOH-007-TAL-002-2015 PRDP-MPA-R007-BOH-006-TAL-001-2015 PRDP-MPA-R007-BOH-001-BIE-001-2015 PRDP-MPA-R007-BOH-002-BIE-002-2015 PRDP-MPA-R007-BOH-005-PRE-002-2015 PRDP-MPA-R007-BOH-003-BUE-001-2015 GEF Trust Fund Grant Number TF017788 Estimated Project Cost: **Php 900,644.26**

October 10, 2022

(Name/Company/Address)

Gentlemen:

The Government of the Philippines (GOP) has received a loan from the World Bank towards the cost of the Philippine Rural Development Project (PRDP) with Grant package from the Global Environmental Facility (GEF) and it intends to apply part of the proceeds of the Grant to payments for the cost of **PROCUREMENT OF MPA SUPPLIES AND MATERIALS** for the following Marine Protected Areas (MPAs): "Guindacpan Marine Protected Area Rehabilitation, Cataban Marine San ctuary Rehabilitation, Bilangbilangan East Marine Sanctuary Rehabilitation, Hingotanan West Marine Sanctuary Rehabilitation, Aguining Marine Protected Area Rehabilitation, Sidlakan Marine Protected Area Rehabilitation, Sinandigan Fish Sanctuary Rehabilitation, and Asinan Reef Fish Sanctuary Rehabilitation."

The Provincial Local Government Unit of Bohol will hold a **Pre-Bid Conference** on **October 13**, **2022** at **10:00 A.M.** at the **Bids and Awards Committee**, **Province of Bohol**, **PPMU Office 2**nd **Floor**, **Provincial Capitol Building**, **Brgy. Cogon**, **Tagbilaran City**, **Bohol 6300**.

Please quote your lowest price, inclusive of taxes for the above-cited package, based on the attached REQUEST FOR QUOTATION with Specifications/Drawings, and Bill of Quantities and submit your QUOTATION FORM and QUOTATION DETAILS duly signed by you or your authorized representative not later than **October 20**, **2022** at **10:00 A.M.** at the **Bids and Awards Committee, Province of Bohol,** through the following options:

- Sealed Envelope (hand-carry): "The bidder is required to affix his/her signature across the flap of the sealed envelope". Address to: ATTY. HANDEL T. LAGUNAY, Chairman, Bids and Awards Committee, Province of Bohol, PPMU Office 2nd Floor, Provincial Capitol Building, Brgy. Cogon, Tagbilaran City, Bohol 6300.
- Through Mail (courier): "The bidder is required to affix his/her signature across the flap of the sealed envelope". Address to: ATTY. HANDEL T. LAGUNAY, Chairman, Bids and Awards Committee, Province of Bohol, PPMU Office 2nd Floor, Provincial Capitol Building, Brgy. Cogon, Tagbilaran City, Bohol 6300.

• Through Official Email Address of BAC: <u>ppmubohol@gmail.com</u> with the subject: **PROCUREMENT OF MPA SUPPLIES AND MATERIALS** (*The Prospective Bidders are encouraged to secure their bid proposal by Encrypting with Password their attached file and provide the security information to BAC Secretariat during the actual bid opening*)

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity shall be declared "Late" and shall not be accepted by the Procuring Entity.

Opening of Quotations will be held on **October 20, 2022** at **10:00 A.M.** at the **Bids and Awards Committee, Province of Bohol, PPMU Office 2nd Floor, Provincial Capitol Building, Brgy. Cogon, Tagbilaran City, Bohol 6300**. Bids will be opened by the BAC in Public and in the presence of the bidder's representatives who choose to attend.

ATTY. HANDEL T. LAGUNAY Chairman, Bids and Awards Committee Province of Bohol Tel. No.: (038) 411-0138 local 42120

INSTRUCTION TO SUPPLIERS/BIDDERS:

- 1. **Bidders/Suppliers** are required to read the instructions and fill all the blanks properly. **Please write Legibly.**
- 2. All prices quoted herein are valid, binding and effective at least within Sixty (60) calendar days from date of quotation.
- 3. Specifications herein provided are the minimum requirements, hence a bidder must not offer lower specifications than required.
- 4. Quotation(s) must include all kinds of taxes for the item(s)/services listed hereunder, including delivery charges.
- 5. **Mandatory Requirement**: Certified True Copy of PhilGEPS Certificate of Registration. The proposal shall be accompanied by the aforementioned document. However, non-submission of such documents during the Bid/Quotation opening shall not result to automatic disqualification of proposal. Such document shall be complied during post evaluation as a mandatory requirement prior to signing of Purchase Order (P.O.)/Contract.
- 6. The BAC shall recommend to the Head of the Procuring Entity the award of contract to the Bidder with the Lowest Calculated Responsive Bid/Quotation (LCRB/Q) or the Single Calculated Responsive Bid/Quotation (SCRB/Q).
- 7. All deliveries by suppliers shall be subjected to inspection and acceptance by the Authorized Representative of the Provincial Government of Bohol. All necessary laboratory tests undertaken by the Provincial Government of Bohol (*Office of the Provincial Agriculturist*) on the items(s) shall be for the account of the supplier.
- 8. Rejected deliveries shall be construed as non-delivery of product(s)/item(s) ordered and shall be subject to liquidated damages, subject to the terms and conditions prescribed under paragraph 4 thereof.
- 9. Supplier shall guarantee his/her deliveries to be free from defects. Any defective item(s)/product(s) therefore that may be discovered by the Provincial Government of Bohol within One (1) year after acceptance of the same shall be replaced by the supplier within seven (7) calendar days upon receipt of a written notice to that effect.
- 10. All transactions are subject to withholding of creditable Value Added Tax (VAT) per Revenue Regulation No. 10-93.
- 11. The Provincial Government of Bohol reserves the right to accept or reject any quotation and to annul the procurement process or reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder(s)/supplier(s).

[Date]

ATTY. HANDEL T. LAGUNAY Chairman, Bids and Awards Committee Province of Bohol Tel. No.: (038) 411-0138 local 42120

Sir:

In connection with the above Request for Quotation with PR No.: PRDP-GEF-MPA-009/PRDP-GEF-MPA-0010, I/We submit our quotation indicated herein and in the attached QUOTATION DETAILS with Specifications. Total quotation is ______

(PhP_____

).

We agree to abide by this Bid/Quotation for the validity period of sixty (60) calendar days and it shall remain binding upon us and maybe accepted at any time before the expiration of that period.

Signature:	
Name of Authorized Person:	
Position:	
Company:	
Date:	

PROCUREMENT OF MPA SUPPLIES AND MATERIALS

for the following Marine Protected Areas (MPAs): "Guindacpan Marine Protected Area Rehabilitation, Cataban Marine Sanctuary Rehabilitation, Bilangbilangan East Marine Sanctuary Rehabilitation, Hingotanan West Marine Sanctuary Rehabilitation, Aguining Marine Protected Area Rehabilitation, Sidlakan Marine Protected Area Rehabilitation, Sinandigan Fish Sanctuary Rehabilitation, Asinan Reef Fish Sanctuary Rehabilitation, and Sinandigan Fish Sanctuary Rehabilitation"

PRDP-MPA-R007-BOH-007-TAL-002-2015 PRDP-MPA-R007-BOH-006-TAL-001-2015 PRDP-MPA-R007-BOH-001-BIE-001-2015 PRDP-MPA-R007-BOH-002-BIE-002-2015 PRDP-MPA-R007-BOH-004-PRE-001-2015 PRDP-MPA-R007-BOH-003-BUE-001-2015 PRDP-MPA-R007-BOH-003-BUE-001-2015 GEF Trust Fund Grant Number TF017788 Estimated Project Cost: **Php 900,644.26**

PR No.: PRDP-GEF-MPA-009 & PRDP-GEF-MPA-0010 End-User: Office of the Provincial Agriculturist Fisheries Division

Qty.	Unit	Item/Description	Offered Brand	Unit Price	Total Price			
	Procurement of MPA Supplies and Materials							
20	Unit	 1. Waterproof Flashlight with rechargeable 4-AAA 1.2V Ni-MH Batteries and Charger Specifications: Bulb Type: LED Beam Type: Flood to Spot Beam Distance: 226 m Lumens: 360 Output Modes: High/Low Use Battery: 4-AAA Switch Type: On/Off Button Body Material: Aluminum Standards: ANSI/FL1 Lens Material: Polycarbonate Body Color: Black Diameter: 1.24 in Overall Length: 5.58 in Included Batteries: 4-AAA 1.2V Ni-MH 800mAh Batteries Included Charger: Ni-MH Battery Charger, 4-Slot 						
		 FEATURES ✓ Impact and Water Resistant ✓ Variable Power Compact Flashlight ✓ Quick Cycle Button for Fast Switching Between High and Low Modes ✓ Max Optic Beam Focusing System for Unblemished Flashlight Beam ✓ Fingertip Speed Focus System with Beam Lock Delivery Sites: ✓ Brgy. Guindacpan, Talibon, Bohol - (8 Units) ✓ Brgy. Bilangbilangan East, Bien Unido, Bohol - (4 Units) 						

				1
		 Brgy. Hingotanan West, Bien Unido, Bohol - (4 Units) 		
		 (4 Units) ✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol 		
		- (4 Units)		
72	Piece	2. Rechargeable Batteries for the		
		Waterproof Flashlights		
		Specifications:		
		✓ Size: AAA		
		 ✓ Type: Ni-MH, 1.2V 		
		✓ Capacity: 800mAh		
		Delivery Sites:		
		✓ Brgy. Guindacpan, Talibon, Bohol - (20 Pcs)		
		 Brgy. Bilangbilangan East, Bien Unido, 		
		Bohol - (20 Pcs)		
		 ✓ Brgy. Hingotanan West, Bien Unido, Bohol - (20 Pcs) 		
		✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol		
		- (12 Pcs)		
8	Unit	3. Megaphone with rechargeable batteries		
		Specifications:		
		 Detachable; hand-held microphone with 		
		volume control and on and off switch;		
		 Power Output: 15 watts rated/23 max; 		
		 Anti-bacterial treatment for all models (mouthpiece/microphone and handle); 		
		 Battery Life: voice - approximate 10 hours; 		
		✓ Whistle: 20 minutes;		
		✓ Voice Range: voice - 400 m, whistle - 500		
		m.		
		Delivery Sites:		
		 Brgy. Guindacpan, Talibon, Bohol - (2 		
		Units)		
		✓ Brgy. Bilangbilangan East, Bien Unido,		
		Bohol - (2 Units) ✓ Brgy. Hingotanan West, Bien Unido, Bohol -		
		(2 Units)		
		✓ Brgy. Saguise, Pres. Carlos P. Garcia, Bohol		
		- (2 Units)		
1	Unit	4. Global Positioning System (GPS),		
I	Unit	Handheld		
		Specifications:		
		 ✓ Physical Dimensions: 7.5"x3.7"x1.7" (191.5x94.5x44 cm); 		
		✓ Display Size: WxH: 5"(127mm) diagonal;		
		✓ Display Resolution, WxH: 800x480 pixels;		
		✓ Display Type: Bright, sunlight readable		
		WVGA display; ✓ Weight: 15.9 oz (450 grams) with included		
		✓ Weight: 15.9 oz (450 grams) with included rechargeable battery pack: 14.6 oz. (415)		
		grams);		
		✓ Battery Type: rechargeable lithium ion: Ni-		
		MH or lithium recommended;		
		 ✓ Battery Life: up to 16 hours (lithium ion or up to 8 hours (AA batteries); 		
		✓ Water Rating: IPX7;		
		✓ Interface: high speed USB and NMEA 0183		
		compatible		

		Delivery Site: ✓ Brgy. Guindacpan, Talibon, Bohol - (1 Unit)		
7	Unit	5. Night Vision Binocular		
		 Specifications: \$\$50nm Infrared Illuminator Video out capable Time lapse Function: YES GPS ID stamp on the picture or video: YES 5 Mega Pixels CMOS vs image-intensifier tube In-view 1.5" TFT display Powerful infrared spotlight 980ft /300M viewing range Magnification(optical): 4 Objective Size: φ50mm Digital Zoom: 5 Field of View: 7° The Range of Ocular Adjustment: ±1.8mm Aperture: F=1.3 Objective focal Distance:37.5mm Infrared Illuminator: Yes ,850 JPEG: 2592*1944,1600*1200,640*480 with sound TV Out: PAL or NTSC Built-in 1 tripod mountable: YES TV Out: Device be a live Infrared surveillance camera connecting TV with TV cable USB: Micro USB2.0 Water Resistance Standard: IPX4 L x W x H: 205 x 169 x 88 mm Weight: 780g Delivery Sites: Brgy. Bilangbilangan East, Bien Unido, Bohol - (2 Units) Brgy. Hingotanan West, Bien Unido, Bohol - (2 Units) Brgy. Saguise, Pres. Carlos P. Garcia, Bohol - (1 Unit) 		
10	Piece	6. Lifejacket		
		 Specifications: ✓ Type: Type II or III ✓ Closure type: Buckles ✓ Material: Nylon ✓ Size: Adult ✓ Type: Inherently Buoyant Foam ✓ Buoyancy: 22 lb ✓ Straps: Adjustable straps at torso, shoulders and neck Delivery Site: ✓ Brgy. Guindacpan, Talibon, Bohol - (10 Pcs) 		
5	Piece	7. Raincoat		
		Specifications: ✓ Raincoat Trousers Suit		

	✓ Features:
	✓ Increase Thicker
	✓ Fine Workmanship
	 ✓ Reflective Front ✓ Behind the Beflective Bar
	Bennite the Keneetive Bar
	✓ Sizes: To be identified
	Delivery Site:
	✓ Brgy. Guindacpan, Talibon, Bohol - (5 Pcs)
3 set	8. SCUBA Diving Gears with complete set
	Specifications:
	8.1. Regulator set
	✓ QR3 1 st Stage Yoke standard piston
	✓ Standard second stage unbalance no
	adjustment with hose
	✓ Basic octopus no adjustment yellow cover
	with yellow 40" hose
	✓ Combo depth/pressure gauge small size
	double reading BAR/PSI
	8.2. BCD Jacket
	✓ with padded collar, 3 dump valves, chest
	strap, waist strap, velcro type with rear
	adjustment, zipper on both pockets, quick
	release system-2 female clips on both left
	and right shoulder strap for the size
	adjustment, octopus hose and gauge slits
	on both side for stream lining convenience,
	4 metal D-rings, tank valve adjuster, water
	drain on pockets
	8.3. Wetsuit
	✓ 3M Mens wetsuit, all black, full body with
	slanted back zipper
	8.4. Booties
	\checkmark 5MM high cut, black
	Shiri ligi cut, bluck
	8.5. Fins
	✓ 2 open heel fins
	8.6. Mask
	✓ Single Lens Mask Design
	✓ Ideal for Snorkeling and Scuba Diving
	✓ Skirt: Soft 100% Hypoallergenic
	Transparent Silicone
	✓ Double Feathered Edge Skirt for Excellent
	Seal On-Face
	✓ Low Internal Volume
	✓ Tempered Glass Lens
	✓ Quick-Adjust Buckles System
	9.7 Sporkel
	8.7. Snorkel
	 ✓ Anti-Splash Top ✓ Special Valve Seals Tube when Submerged
	special valve scals rube when submerged
	8.8. Weights and belt
	✓ Stainless steel buckle
	✓ 2 lbs lead weights (8lbs per set)
	8.9. Tank

		 ✓ 80 cu.ft tank with DIN/YOKE convertible tank valve 3000 PSI Delivery Sites: ✓ Brgy. Aguining, Pres. Carlos P. Garcia, Bohol – (2 Sets) ✓ Brgy. Sinandigan, Ubay, Bohol – (1 Set) 		
2	unit	 9. SCUBA Diving Tank Fill Station air Compressor Specifications: (see attached "ANNEX A" for the Specifications) Delivery Sites: ✓ Brgy. Aguining, Pres. Carlos P. Garcia, Bohol – (1 Uniit) ✓ Brgy. Sinandigan, Ubay, Bohol – (1 Unit) Terms and Conditions: Prices includes supply and delivery of materials/equipment's in the MPA project sites Supplier must conduct Training and Seminars on Maintenance of the supplies. Payment shall be made upon Completion of Delivery and Issuance of Inspection and Acceptance Report. Price quoted is valid for Sixty (60) calendar days from the date of opening of quotations. With 1 year warranty. Delivery Period: Sixty (60) calendar days upon receipt of Purchase Order (PO)/Notice to Proceed (NTP), otherwise, Liquidated Damages (LD) will be applied in amount equal to one-tenth (1/10) of one percent (1%) of the cost of the delayed goods scheduled for delivery for every day of delay until such goods are finally delivered and accepted by the procuring entity concerned. 		
	Tot	 Inclusion of Logos of DA-PRDP, PG & MLGU. tal Amount 		

Total amount in words:

Signature:	 	
Name of Authorized Person:	 	
Position:	 	
Company:	 	
Date:	 	

"ANNEX A"

Specification for SCUBA Diving Tank Fill Station air Compressor

DB COMPRESSOR 3.5CFM GASOLINE

TECHNICAL SPECIFICATIONS:	DB110-G
CHARGING RATE	100L/min - 3.5 cfm
FILLING TIME CYLINDER 11.1L: 0-200 BAR	20 - 25 minutes
WORKING PRESSURE	225 Bar - 3200 Psi / 300 Bar - 4300 Psi
RPM PUMPING UNIT	2260 r/min
DRIVEN BY	Honda Gasoline Engine
POWER	5.5 HP
FUEL	Unleaded Gasoline
FUEL TANK CAPACITY	3.6 L / 3.8 quarts
DIMENSIONS	height 15.3" - length 32.3" - width 13.7"
DRY WEIGHT	44 Kg / 96.8 lbs.
NOISE	< 81 dB
NUMBER OF STAGES	3
NUMBER OF CYLINDERS	3
LUBRICATION	Splash Lubrication
LUBRICATING OIL CAPACITY	500 cc (0.5 L) / 16.9 FL. OZ.
LUBRICANT	Synthetic Oil CE 750
FRAME	Powder Coated Steel
OIL/MOISTURE SEPARATOR	After Last Stage
FILTRATION	Filter cartridge: Activated Carbon and Molecular Sieve
SAFETY VALVE	Mounted on the Filter
INTERSTAGE COOLERS AND AFTER COOLER	Stainless Steel
BREATHING AIR	EN 12021